

www.sign-holders.co.uk/

Green Magic Co. UK Ltd Waltham Business Park Brickyard Road Swanmore Southampton

SO32 2SA

Tel. 01489 896999 Email. sales@greenmagic.co.uk For current prices and available options please visit the relevant product page - see link in footer.



# Outdoor sign stand with stable base

### **Short Description**

- The free-standing outdoor sign stand is robust and stable choose from 3 heights up to 1.8m (6 ft)
- Adjustable clamps securely grip almost any sign board e.g. correx, foamboard, aluminium
- Heavy-duty base made from 100% recycled material is rugged and durable to prevent toppling
- The pole colour is black.

### **Product Images**


















## **Description**

## Stable outdoor sign stand for rigid sign panels

Outdoor sign stand displays freestanding outdoor sign boards printed on almost any rigid signage substrate. SignClamper is a unique all-weather signboard holder from Green Magic, available in three heights to meet different requirements.

Suitable for parking and direction signs, temporary outdoor event signs, promotional and information signs. The

18/04/2024

stable sign stand is portable yet sufficiently heavy to stand upright in moderate winds.

### Choose the right SignClamper for your application

- Type 10 SignClampers have a heavy rubber-like base made from 100% recycled plastic. The base is 400mm square, weighs 10 kg and is rugged enough for many years of outdoor use even withstanding being run over by a vehicle. Heavy duty black pole fits securely into the base.
- There are 3 heights of pole:
  - **Standard** 1.4m (4' 8") high suitable for holding rigid panels up to around A1 size, 50x70 cm or A2 size are ideal for more exposed locations
  - **Short** o.9m (3' high) very stable even in quite strong winds with A2 size or 40 x 50 cm sign panels. Ideal height to view from a car
  - **Extended** 1.8m (6' high) ideal for taller narrower signs (i.e. with less wind area to limit the risk of blowing over) or as an outdoor banner stand
- Sign Clamps slide up and down the pole and are easily tightened by hand. The clamps will hold a Correx, Dibond or Foamex sign board or panel panels 4mm to 6mm thick are ideal. Clamps will not rust and will last many years. Extra clamps can be purchased (see More Information)
- Sign panels are not included these are generally custom produced by sign companies. Various size panels can be used.
- In strong wind this freestanding outdoor banner stand is less likely to blow over when used with a smaller sign boards and/or a shorter pole.

SignClampers are versatile

Also known as Type to sign stands, because the base weighs in at around 10kg (22 lbs), our range has been updated with a change to a black pole (instead of dark green) plus the addition of a Short model offering a more economical option for car park signs or outdoor signs aimed at children or wheelchair users, for instance. These heavy has sign stands are intended for use with rigid sign panels, for example printed corrests boards used in garden centres to promote seasonal plants. SignClampers can only be used as free standing poster holders when the poster is screen printed or digitally printed onto a rigid board or panel.

Doublle-sided display is possible.

Additional Sign Clamps can be purchased for fixing a second signboard to the reverse side. Please select Extra pair of Sign Clamps.

Note, When two panels are displayed back-to-back they cannot be displayed at exactly the same level as their respective clamps cannot occupy the same space on the pole.

Three height options

Three height options

Three height options

Three SignClamps cannot occupy the same space on the pole.

Three House of the proper stand with weighted base. For display of posters mounted on rigid backing | 14,0cm high

Three Associated with heavy base | All weather display stand to hold graphic panels | 180cm high

Outdoor banner stand with heavy base | All weather display stand to hold graphic panels | 180cm high

SignClampers are portable and easy to assemble
The pole is fittled with a tapered shoe which is a firm push-fit into the base. Ensure the shoe is fully engaged into the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by thumpel to the square opening in the base - for example by the square opening in the base - for example by the square opening in the base - for example by the square opening in the square open



your foot If you pick up the wholes sign stand by the pole. The pole is removed by wiggling it upwards while placing one foot on the base.

Adjustable Sign Calmys

The Sign Clamps slide up and down the black PVC pole and can be secured at any height. The girp range is adjustable for panels up to 6mm thick. Ensure your panel is located centrally and at the desired height, then tighten by hand, starting with the bottom clamp is generally best.



Delivery and Returns

Assembly and Installation

• We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Exonomy or Next Day delivery.

- Alsy product returned by the practisacer must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.

- For detailed information about Delivery charges or Returns and refund policies, please click on the links below.

Postable

