



---

## Black Bee-Line hook locks onto cable

### Short Description

---

- Black Bee-Line hooks are intended for use with our black suspended cables
- Height adjustment is easy thanks to the finger tip push button to release the gripper mechanism
- The straight cable path means that a number of hooks can be threaded onto a single wire

### Product Images

---













## Description

---

### **Versatile and economical adjustable suspension hooks**

Black hooks have a matt black finish. The Bee-Line hook self locks onto wire and can be adjusted using the release button where the cable enters the fitting. The black hook has a safe working load of 17 kg with a 5:1 safety factor (advisable for suspended items). Height of hook is 37mm (1-1/2")

The cable passes straight through the hook. It can be cut off flush with the bottom or a short tail can be left for

further fine adjustment (recommended). Alternatively more hooks can be threaded onto a single cable - a useful feature for art retailers and picture framers where several different size pictures or paintings need to be displayed one above the other. The hook is so versatile and easy to use - resetting the height takes seconds.

We recommend these hooks are purchased with one of our black hanging wire sets or with other components from our range. On this page you can order with a black loop-end cable 2m long. This allows attachment to a small existing ceiling hook or can be used to create a lasso to suspend from a pole, pipe, trunking or roof purlin.


The hook works best on 7x7 1.5mm diam steel wire rope. It can be used with most wires between 1mm and 2mm thick but we recommend testing thoroughly if using your own wire, and our SWL ratings will not apply as they are based on laboratory tests using our own cables.

## Additional Information

### More Information

- The Black Bee-Line Hook fitting itself is capable of holding up to 17kg.
- The 1.5mm galvanised wire (7x7 construction) will carry these loads safely. However, some ceilings may not take such loads without reinforcement. If in doubt please consult a skilled tradesman or professional.

### Product Dimensions



### Delivery and Returns

- We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery.
- Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.
- For detailed information about Delivery charges or Returns and refund policies, please click on the links below.

Include in Google Feed

Yes

Postable

No

Small parcel

No

Oversize

No



