





Adjustable hanging kit screws to ceiling

Short Description

- Adjustable hanging kit screws to ceiling securing a suspension wire - either 1m or 2m long
- The kit includes an Urban Trapeze fitting used to form a loop around the item to be suspended
- Use the hanging kit to secure a wide range of suspended items up to 15 kg safe load per wire

Product Images





Description

Hang wire kit to suspend items at any height

Adjustable hanging wire kit includes a neat thimble-size anchor fitting which can be screwed to a ceiling or rafter. This ceiling anchor secures the hanging wire, either 1m or 2m long depending on the kit selected.

The hanging wire set includes a fitting which makes it easy to form a loop around the item to be suspended. The loop is easily adjusted in size and can be set at any height up to the overall length of the wire.

Easy way to hang stuff from the ceiling

- Use this hanging wire kit for multiple purposes including hanging plants, decor, banner poles, light fittings, signage, stage props or merchandising displays in shop windows.
- Choose the kit with either a 1m or 2m wire, which is pre-terminated at one end to be captured securely in the ceiling anchor > Excess wire can be coiled up or cut off using wire cutters.
- The suspension kit is rated up to 15 kg safe working load (with a 5:1 margin of safety which we always recommend for overhead suspension). This applies to a vertical load as opposed to when the wire is used horizontally to create a light duty catenary cable.
- Ensure that the intended location will accept a screw and support the intended load. Basic masonry plugs are included in the kit but can be upgraded by using alternative proprietary fixings (see Assembly and Installation Tab) e.g. for hanging from plasterboard ceilings.
- The bottom loop is created easily using the supplied Urban Trapeze fitting. The fitting grips the wire internally - but the grippers can be released temporarily for stepless adjustment, simply by depressing the cable entry buttons (see animated visual).
- The wire is 7x7 galvanised steel diameter 1.5mm - which is strong yet slender.
- This hanging kit is designed to look good as well as being structurally reliable and easy to install.

More Information

Which is the best way to hang something from the ceiling?

1. Firstly consider the load to be supported – our hanging wire systems will generally support loads up to 15 kg which is more than adequate for most signs, banners, decorative displays and suspended lights.
2. How can you fix to the ceiling? The hanging kit on this page works when you can screw into the ceiling. We have other solutions for suspended ceiling grids or when hanging from beams, pipes and girders.
3. What fitment do you require to attach to the suspended item? The kit on this page let you loop around stuff. We have other solutions when there is somewhere to secure a hook to or when you want to clamp to the top edge of a vertical board or acoustic panel.
4. Decide on the drop required from the suspension point to the top of the item to be hung.
5. Choose a hanging kit which is easy to install and adjust – that's a feature of all our hanging wire kits.

Check your ceiling to ensure the fixing will be adequate

- Do not screw into soft materials such as suspended ceiling tiles (we have alternative solutions for grid ceilings).
- The screw and plastic plug supplied with this kit will provide an adequate anchor with many ceiling types, especially if the loads are light (i.e. a few kg).
- When fixing directly into timber the plastic plug can be dispensed with. Screw directly into the wood after drilling a pilot hole.
- When screwing into plasterboard consider upgrading to a higher specification plastic plug – for example a Fischer Duo Power 6x30 plug has been found to work well in our tests.

Assembly and Installation



Delivery and Returns	<ul style="list-style-type: none"> • We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery. • Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem. • For detailed information about Delivery charges or Returns and refund policies, please click on the links below.
Include in Google Feed	Yes
Postable	No
Small parcel	No
Oversize	No

