

www.sign-holders.co.uk/

Green Magic Co. UK Ltd Waltham Business Park Brickyard Road Swanmore Southampton

SO32 2SA

Tel. 01489 896999 Email. sales@greenmagic.co.uk For current prices and available options please visit the relevant product page - see link in footer.




A6 and A5 Snap frame in Silver or Black

Short Description

- Black or silver wall-mounted A5 and A6 snap frame name plates for offices
- Excellent quality and great value A5 and A6 snap frame indoor office door signs
- Opti frames are safety cornered aluminium door sign holders for self-print paper inserts

Product Images











Description

A5 and A6 office door signs in smart silver or classic black

Name plates for office doors are essential for any multi-room building. These great value A5 and A6-sized office door signs are available in a smart silver finish or classic black. The safety-tipped corners make them a great choice for use in locations such as schools and residential homes where safety in use is an important consideration.

These A5 and A6 Opti frames are perfect for photos, small notices and as changeable name plates or office door signs using paper inserts printed on your office printer. Just flip open the frame surrounds to swap over your message (no need to remove the frame from the wall or door). A poster protector cover sheet is included. The A5 snap frame suits 'picture plus resident's name' bedroom door signs in care homes.

- Neat snap frames are made from slim 14mm (1/2") wide aluminium and can be mounted landscape or portrait.
- Choice of brushed silver or black frame finish.
- Plastic-tipped corners are safe in use (no sharp corners found on some snap frames).
- The A6 snap frame fits inserts size 148x106 mm (approx. 6"x4"). The A5 snap frame fits inserts size 210x148 mm (approx. 8"x6").
- Can be screwed to walls or fixed using double-sided adhesive tape. (1 roll per 25-50 frames).
- A6 and A5 frames can also be hung on a picture hook or nail, athough this is less secure.

	Want to con	npare these wi	th A4 Snap Fra	nme?
More Information	Frame range • Supplied in plastic cover • Just snape of 14mm wide seed the fixed remove from the even every decensive the seed of the seed	e. Individually boxes sheet. Ready open the frame silver anodised addrectly to me wall to update otices which relay. It own screws to adhesive tap	e to change inso l aluminium fra nost types of do e.	with clear erts. Super slim ame surround. oor. No need to ged frequently - ication, or use re very light).
Product Dimensions	 Size Information for Opti snap frames The width of the surround is 1.4cm = 14mm Front to back depth of 14mm profile snap frame: 13.2mm A6 relates to the size of paper an A6 frame will fit. A narrow strip around the edge of your print is hidden when the frame is closed. Visible poster size: 10mm less than actual poster (i.e. 5mm all round your poster is hidden by the frame surround) The overall size of the frame is larger than the paper inserted. Overall (external) frame sizes are shown in the table: 			
	Table of Opti snap frame sizes - relates to 14mm wide profile frames			
	Order Code	Poster size	External size	Visible area
	A6 Opti Frame	105X148	126X169	95X138
	A5 Opti Frame	148X210	169X231	138X200

Assembly and Installation	Opti frames are supplied fully assembled and individually boxed. Hang Opti frames on a picture hook • Smaller Opti snap frames up to and including A3 size can be hung on a single picture pin nailed into the wall. • The back of the frame provides this facility whether the frame is to be mounted portrait or landscape • Hanging a snap frame on a picture hook, nail or tack only requires a hammer. • Picture hooksand tacks are not supplied. They are available from hardware stores. Fix Opti frames using screws • The usual way to permanently fix Opti frames is with screws. • Screws and plastic wall plugs are included with every snap frame we supply • The wall plugs are for use with masonry walls such as brick and most plastered walls • When screwing onto wood the plugs are not needed • A drill and screwdriver are required for screw fixing (and we recommend using a spirit level and tape measure to ensure the frames are properly aligned). If in doubt please consult a proficient DIY or trades person. Fix Opti frames using adhesive tape • Rolls of double-side adhesive tape are available as an accessory item. • If double-side adhesive tape is used to fix frames (in place of the screws supplied) please check the smoothness and suitability of the wall. • Tiles and similar surfaces may be suitable provided they are cleaned thoroughly before application. • Tape fixing is not suitable for surfaces with a non-stick coating or porous/foamed surfaces. • We recommend that tape is used around the full perimeter of the frame. • Larger frames are normally best screwed. A residue of foam tape will be left on the wall or door after removal of the frame and the frame will usually be hard to get off.
Delivery and Returns	 We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery. Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem. For detailed information about Delivery charges or Returns and refund policies, please click on the links below.
Include in Google Feed	Yes
Postable	No
Small parcel	No

Oversize

