




White A4, A3 snap frames

Short Description

- White painted snap frames A4 and A3 paper size
- Best Value White snap frames with quantity discounts
- Huge stocks of White snap frames, including cover sheets and wall fixings

Product Images











Description

White snap frames A4, White snap frames A3

Like all our snap frames with 25mm profiles, these white click frames use the click open/snap shut mechanism for quick and easy insertion of any printed picture, sign or notice. Our snap frames are lightweight aluminium and come **with a hard-wearing white paint finish.**

White snap frames are now **ON SALE.**

- White snap frames are suitable for locations ranging from beauty salons to doctor's or dentist's surgeries – but they also look attractive in the home or office.
- White colour snap frames are available from stock in standard paper sizes: A4 and A3
- A simple concealed fixing system makes for easy mounting by screws – or double-sided adhesive tape can be used.
- A cover sheet is included – this has an anti-reflecting surface.
- This white frame is suitable for any type of paper insert corresponding to the size of the frame.

Where can I use white snap frames?

You can use our high-quality white poster snap frames indoors or outdoors; we recommend using waterproof poster paper for use outdoors.

All sizes in this range of front-loading clip frames feature a white backing panel to support the poster and enhance the colours printed on the poster. Other suppliers of snap frames with a grey backing panel tend to have a dulling effect on your poster.

More Information

Specification
The frame profile width for our stock white snap frames is 25mm (i.e. 1 inch wide border all round).

The paint finish is achieved by a process called powder coating. This gives a very smooth oven baked finish to the metal which is very resistant to chips and scratches. The frame dimensions are defined by the poster size which they are designed to fit.
The visible area is reduced by 10mm all round when the frame surround closes – so don't print any critical text right on the margin of the paper.
The exterior frame size is 15mm all round larger than the poster size.
Screws and wall plugs are supplied with every frame.
White snap frames are supplied individually boxed.
For rolls of suitable double-sided adhesive tape for use on suitable smooth homogeneous surfaces see the Recommended Accessories below the price grid.

Product Dimensions

Size Information for aluminium snap frames

- The width of the surround is 2.5cm = 25mm or 1 inch
 - Front to back depth of 25mm profile snap frame: 12mm (approx 1/2 inch)
 - A4 relates to the size of paper an A4 frame will fit.
 - A narrow strip around the edge of your print is hidden when the frame is closed.
- Visible poster size: 22mm less than actual poster (i.e. 11mm all round your poster is hidden by the frame surround)
- The overall size of the frame is larger than the paper inserted.
- Overall (external) frame sizes are shown in the table:

Table of standard snap frame sizes – relates to 25mm wide profile frames

Order Code	Poster size	External size	Visible area
AS.A4/25-W	210X297	239X326	188X275
AS.A3/25-W	297X420	326X449	275X398
AS.A2/25-W	420X594	449X623	398X572
AS.A1/25-W	594X841	623X870	572X819

Assembly and Installation

Fix snap frames using screws

- The best way to permanently fix snap frame is with screws.
- Screws and plastic wall plugs are included with every snap frame we supply
- The wall plugs are for use with masonry walls such as brick and most plastered walls
- When screwing onto wood the plugs are not needed
- A power drill and screwdriver are required for screw fixing (and we recommend using a spirit level and tape measure to ensure the frames are properly aligned). If in doubt please consult a proficient DIY or trades person.

Fix snap frames using adhesive tape

- Rolls of double-side adhesive tape are available as an accessory item.
- If **double-side adhesive tape** is used to fix frames (in place of the screws supplied) please check the smoothness and suitability of the wall.
- Tiles and similar surfaces may be suitable provided they are cleaned thoroughly before application.
- Tape fixing is not suitable for surfaces with a non-stick coating or porous/foamed surfaces.
- We recommend that tape is used around the full perimeter of the frame.
- Larger frames are normally best screwed. A residue of foam tape will be left on the wall or door after removal of the frame and the frame will usually be hard to get off.

Delivery and Returns

- We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery.
- Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.
- For detailed information about Delivery charges or Returns and refund policies, please click on the links below.

Include in Google Feed

Yes

Postable

No

Small parcel

No

Oversize

No

