




Oak finish snap frames A3, A2 and A1, wall

Short Description

- Wood look snap poster frames
- Easy change signage frames with wooden look
- Snap frames with wooden effect sides


Product Images











Description

Wood look snap frames

Convenient snap action poster change functionality with the appearance of a wood poster frame.

Special coating process delivers an aluminium poster frame with a realistic wooden appearance (similar to dark oak). The finish is durable and unlike real wood the frame won't warp or distort when subjected to humidity or major variations in temperature.

- Convenient snap open action with wooden poster frame appearance.
- Concealed wall fixings supplied (plugs and screws). Snap open the frame to access these.
- Load your A2 poster, A1 size advertisement, or standard A3 prints from the front without needing to unscrew or dismantle the frame.
- Looking for A4, A5 and A6 size: See [Opti Wood-look snap frames](#)

More Information

For larger orders there may be a manufacturing lead time - please check with us if you need larger quantities of wood look snap frames delivered quickly.

Product Dimensions

Size Information for aluminium snap frames

- The width of the surround is 2.5cm = 25mm or 1 inch
- Front to back depth of 25mm profile snap frame: 12mm (approx 1/2 inch)
- A4 relates to the size of paper an A4 frame will fit.
- A narrow strip around the edge of your print is hidden when the frame is closed.

Visible poster size: 22mm less than actual poster (i.e. 11mm all round your poster is hidden by the frame surround)

- The overall size of the frame is larger than the paper inserted.

Overall (external) frame sizes are shown in the table:

Table of standard snap frame sizes - relates to 25mm wide profile frames

Order Code	Poster size	External size	Visible area
AS.A3/25-WD	297x420	326x449	275x398
AS.A2/25-WD	420x594	449x623	398x572
AS.A1/25-WD	594x841	623x870	572x819

Assembly and Installation

Fix snap frames using screws

- The best way to permanently fix snap frame is with screws.
- Screws and plastic wall plugs are included with every snap frame we supply
- The wall plugs are for use with masonry walls such as brick and most plastered walls
- When screwing onto wood the plugs are not needed
- A power drill and screwdriver are required for screw fixing (and we recommend using a spirit level and tape measure to ensure the frames are properly aligned). If in doubt please consult a proficient DIY or trades person.

Fix snap frames using adhesive tape

- Rolls of double-side adhesive tape are available as an accessory item.
- If **double-side adhesive tape** is used to fix frames (in place of the screws supplied) please check the smoothness and suitability of the wall.
- Tiles and similar surfaces may be suitable provided they are cleaned thoroughly before application.
- Tape fixing is not suitable for surfaces with a non-stick coating or porous/foamed surfaces.
- We recommend that tape is used around the full perimeter of the frame.
- Larger frames are normally best screwed. A residue of foam tape will be left on the wall or door after removal of the frame and the frame will usually be hard to get off.

Delivery and Returns

- We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery.
- Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.
- For detailed information about Delivery charges or Returns and refund policies, please click on the links below.

Include in Google Feed

Yes

Postable

No

Small parcel

No

Oversize

No

