

Green Magic Co. UK Ltd Waltham Business Park Brickyard Road Swanmore Southampton SO32 2SA Tel. 01489 8969999 Email. sales@greenmagic.co.uk For current prices and available options please visit the relevant product page – see link in footer.



Pallet sign for EURO pallets

Short Description

- A4 A3 Pallet signage, High level for price information.
- Pallet bus-stop style sign holder for outdoor bulk cash n carry.

Product Images







Description

Height adjustable tall pallet sign holder - A3 and A4 poster sizes

Pallet Claw secures signs onto Euro pallets (pallets marked EUR) and similar pallet designs with a suitable gap between the wooden slats forming the base. Even with a fully loaded pallet, convenient fixing points exist along each side of the pallet – that's where the Pallet Claw slots into place, creating an anchor for this tall pallet sign.

• Simple push fit onto the base of a fully laden pallet with the specially shaped steel claw bracket.

- Height adjustable pole (1m 1.8m ht) locks into the claw fitting with a thumb wheel to secure.
- The A4 or A3 sign holder 'clicks' into the T-piece at the top of the pole and can be fitted portrait or landscape. These frames also fit laminated A3 or A4 signs or POS.
- This product features a black painted steel claw and pole with durable black ABS frame and T-piece.
- Pallet Claw requires a 40mm gap between slats to attach to pallet. This gap exists on EUR pallets found everywhere.

Additional Information

More Information	 Pallet Claw specification in relation to standard size EUR pallets. The dimensions of a standard Euro pallet (pallette EUR) are 1200 x 800mm. The Pallet Claw is designed to fit onto the 800mm wide ends. The sign can be rotated so that it faces the front. The width of the 'claw' which attaches to the pallet is 400mm. The gap between the slats of a correctly constructed Euro pallet is 410mm. The claw should therefore be a 'snug fit'. Other designs of pallet may have different gaps between the boards. The thickness of the timber cross members of a Euro pallet onto which the claw secures is 220mm. When correctly used the claw should remain a tight fit - if it gets distorted or stretched is can usually be 'squeezed' back into shape with moderate force. Pallet Claw FreeStanders can be used outdoors but in strong winds, especially with the larger A3 size frame, a lot of leverage will be exerted on claw fitting. Lowering the sign (adjusting the pole height) can help reduce the stress. However the unit may prove unsuitable for permanent outdoor use in very exposed locations. Pallet Claw is a new product for 2013 and this text will be updated when we have more feedback.
Delivery and Returns	 We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery. Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem. For detailed information about Delivery charges or Returns and refund policies, please click on the links below.
Include in Google Feed	Yes
Postable	No
Small parcel	No
Oversize	No

