



---

## Suspended ceiling hangers with hook end cable

### Short Description


---

- Suspended ceiling wire rope kits for hanging signs with high level adjustment.
- Suspended ceiling kit includes adjustable height grid anchor, wire and hook.


### Product Images

---





**Height adjustment:  
depress button to release clutch**



**Fits standard  
ceiling grids**



**2m  
hook-end  
cable**

## Description

---

### Suspended ceiling hangers with top adjustable hook end cable

Wire gripper top fitting attaches securely to suspended ceiling grid. Kit includes a 2m wire with a hook on one end. The height of the hook can be adjusted with ease because the ceiling fitting has a releasable wire grip mechanism. It works like a ratchet device which can be released for accurate height adjustment at the push of a button.

- Quick to attach to or remove from ceiling and easy to adjust.
- Cable is 2m long with a neat hook on the bottom. Excess cable comes out of the side of the ceiling fitting and can be cut off once the finished height is decided.
- Suitable for suspending signs, banners, decorations, hanging displays etc. Ideal for displaying displaying signage or visual merchandising underneath a suspended ceiling.

*This is **Kit C** comprising one hook wire and one suspended ceiling hanger- other [false ceiling hangers](#) are available.*

## Additional Information

More Information	<p><b>Additional notes:</b> Suspended ceiling hangers fit standard 25mm / 1" wide ceiling grids. They lock onto the ceiling bars with a twist action. Alternative kits are available (see Related products below). With this kit levelling and height adjustment take place at the ceiling.</p> <p>A kit comprises a single wire with fittings (not a pair). The hook is permanently attached to the end of the wire so any excess wire is cut off close to the ceiling after final adjustment. Good quality wire cutters are required to achieve a clean cut without the wire fraying.</p> <p>Please ensure the suspended ceiling grid is capable of carrying the additional load created by the sign or banner being hung. Suspended ceilings are only designed to accept limited additional loads. They may need reinforcing by introducing extra hanging wires above the ceiling tiles, secured to the structural roof void above the suspended ceiling.</p>
Delivery and Returns	<ul style="list-style-type: none"><li>• We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery.</li><li>• Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.</li><li>• For detailed information about Delivery charges or Returns and refund policies, please click on the links below.</li></ul>
Include in Google Feed	No
Postable	No
Small parcel	No
Oversize	No

